

DIRECTORATE ROYAL MEDICAL SERVICES

Hematology & Special Coagulation

TENDER NO P37-2017-B

| Item No | Stock No | REQ QTY | UNIT | DESCRIPTION |
|------------------------------------|-------------|---------|------|---|
| 09_1 All Departments | | | | |
| 09_1_01 Miscellaneous | | | | |
| 1 | 09_1_01_052 | 1000 | TABS | Buffer Tablet, Phosphate Buffer Saline (PBS) Tablets pH 6.8 (100 Tabs/Pack) Each Tablet Makes 1000 ML Buffer Solution |
| 2 | 09_1_01_132 | 150 | PACK | Methanol Absolute (Methyle Alcohol), Lab grade in sealed botteles (2.5 L/bottle). |
| 09_4 Coagulation Department | | | | |
| 09_4_02 Coagulation Reagents | | | | |
| 3 | 09_4_02_026 | 80 | KIT | D- Dimer Kit, Slide Test For The Quantitation Of Fibrinogen Degradation Product In Serum , (Complete Package Of Latex Suspension, Positive Control Sera, Buffer, Sample Tube, Rods Bulbs, Glass Tile, Liquid. |
| 4 | 09_4_02_059 | 8 | KIT | Partial Thromboplastin Time - Lupus Anticoagulant (PTT-LA) 6x2ml. |
| 5 | 09_4_02_087 | 5 | KIT | Lupus Anticoagulants : Detection of Lupus anticoagulant by the use of hexagonal H11 phase phospholipid molecules. |
| 6 | 09_4_02_094 | 17 | KIT | Activated Partial Thromboplastin Time (APTT) With Activator, Lyophilized. |
| 7 | 09_4_02_096 | 400 | KIT | Thromboplastin With Calcium, Extract Of Pure Rabbit Brain With Calcium Lyphilized For Use in Prothrombin Time Test. Low ISI (1.0 - 1.2) |

DIRECTORATE ROYAL MEDICAL SERVICES

Hematology & Special Coagulation

TENDER NO P37-2017-B

| Item No | STOCK NO | REQ-UNIT | UNIT | DESCRIPTION |
|------------------------------------|--------------|----------|------|---|
| 09_4 Haematology Department | | | | |
| | | | | 09_4_04 Routine Haematology Reagents |
| 8 | 09_4_04_005 | 2KIT | | Nitroblue Tetrazolium (NBT) Reduction Kit: Cytochemical Stain for detection of defects in neutrophil function. |
| 9 | 09_4_04_039 | 2BOTT | | Giemsa Stain (25 gm/Bott) |
| 10 | 09_4_04_057 | 80BOTT | | May Stain Solution (2.5 Lt/Bottle) |
| 11 | 09_4_04_093 | 1BOTT | | Nuclear Fast Red (10gm/bott) . |
| 12 | 09_4_04_104 | 80BOTT | | Concentrated Giemsa stain for special hematology stains (1 lt/bott) |
| | | | | 09_4_072 Variant II Hemoglobin Testing System Reagents |
| 13 | 09_4_072_001 | 10KIT | | B-thalassemia Short Program Kit: Includes - Elution Buffer 1 - Elution Buffer 2 - Wash/Diluent - Analytical Cartridge - HbA2/F Calibrant/Diluent Set - Hemoglobin Primer Set - Sample vials - CD-R: program parameters |
| | | | | 09_4_08 Haematology Cytochemical Stain |
| 14 | 09_4_08_012 | 1KIT | | Alkaline Leucocyte Phosphate Kit: Test Kit For 24 Staining Batches |

الشروط الخاصة التسلسل

- 1 - Number of shipments will be decided upon according to the respective minimum guaranteed shelf life upon delivery /dispatch provided in original offer , UNLESS otherwise indicated by manufacturer and accepted by the DRMS . The DRMSwith this respect reserves the right to reject any item not in compliance with this term and impose the correspondent fines as per GHQ/Military procurement laws
- 2 - Good with shelf life less than 5 months to be presented in jordanian dinars including / excluding customs duties and any other fees delivered to DRMS Main Medical Stores .
- 3 - Dispatched / delivered goods must show description of goods , expiry date , lot No . , Storage conditions , stamped " Sold to RMS " ,and any other necessary information .
- 4 - Expected shelf life or minimum guaranteed shelf life upon delivery / dispatch must be presented in the original offer .
- 5 - Goods must be dispatched / delivered under the same storage conditions that comply with their nature .
- 6 - Storage conditions as well as description of goods , lot No . , and expiry date must be clearly indicated on all packages and relative documents .
- 7 - All items should be previously evaluated according to DRMS REGULATION
- 8 - All items must have FDAapproval, CE and TUV Certificate.
- 9 - For items No. (3,4,13) must be delivered to Princess Iman Research & Lab Sciences Center / King Hussein Medical City .

الشروط الخاصة التسلسل

- 10 - Pricing must include services of sale, shipment , transportation ,delivery from port to site or Main Medical Stores.
- 11 - Custom clearance of goods shall be the responsibility of the Jordanian Armed Forces(JAF), however , suppliers shall bear all costs incurred by handling charges and any demurrage charges or extra expenses incurred by the ports corporation or QAIA (including expenses caused by delay in presenting the necessary shipment documents for either clearing or transporting the goods to the required location mentioned in the final order, delivery note issuing charges, unloading charges ,local shipping charges etc.) The supplier is also responsible for providing of all relevant shipping documents, together with the delivery order(s).
- 12 - the reagents and goods should be prepared and packed in country of origin from either USA or europe ,canada ,japan,and Australia.
- 13 - Any products derived or containing materials of human origin must be clearly indicated and supplied with a certificate &/or official documents stating that the products are devoid of blood borne infectious agents :i.e HbsAg,HCV,HIV,etc...
- 14 - All items should be previously evaluated according to DRMS regulation .